



PHP Version 5.2.10	
	
System	Linux pencilsandpixels 2.6.18-194.11.3.el5 #1 SMP Mon Aug 30 16:19:16 EDT 2010 x86_64
Build Date	Nov 13 2009 11:45:39
Configure Command	./configure '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-curl' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-png' '--with-pspell' '--with-ldap-dir=/usr' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--enable-track-vars' '--enable-trans-sid' '--enable-yep' '--enable-wddx' '--with-kerberos' '--enable-ucd-snmp-hack' '--with-unixODBC=shared,/usr' '--enable-memory-limit' '--enable-shmop' '--enable-calendar' '--enable-dbx' '--enable-dio' '--without-mime-magic' '--without-sqlite' '--with-libxml-dir=/usr' '--with-xml' '--with-system-tzdata' '--with-apxs2=/usr/sbin/apxs' '--without-mysql' '--without-gd' '--without-odbc' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-pdo' '--disable-xmlreader' '--disable-xmlwriter' '--disable-json'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
additional .ini files parsed	/etc/php.d/dbase.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mcrypt.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/newrelic.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/zip.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed
This program makes use of the Zend Scripting Language Engine: Zend Engine v2.2.0, Copyright (c) 1998-2009 Zend Technologies	
	

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>

browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/php	./usr/share/pear:/usr/share/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	32M	32M
open_basedir	/var/www/clients/client0/web2/web:/var/www/clients/client0/web2/tmp:/usr/share/php5	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i -fwebmaster@streetartlocator.com	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	/var/www/clients/client0/web2/tmp	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.8 (CentOS)
Apache API Version	20051115
Server Administrator	webmaster@streetartlocator.com
Hostname:Port	streetartlocator.com:0
User/Group	apache(48)/48
Max Requests	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 120 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_auth_basic mod_auth_digest mod_authn_file mod_authn_alias mod_authn_anon mod_authn_dbm mod_authn_default mod_authz_host mod_authz_user mod_authz_owner mod_authz_groupfile mod_authz_dbm mod_authz_default util_ldap mod_authnz_ldap mod_include mod_log_config mod_logio mod_env mod_ext_filter mod_mime_magic mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_proxy mod_proxy_balancer mod_proxy_ftp mod_proxy_http mod_proxy_connect mod_cache mod_suexec mod_disk_cache mod_file_cache mod_mem_cache mod_cgi mod_version mod_fcgid mod_perl mod_php5 mod_proxy_ajp mod_python mod_ssl mod_suphp

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	
SCRIPT_URL	/phpinfo.php
SCRIPT_URI	http://www.streetartlocator.com/phpinfo.php
HTTP_HOST	www.streetartlocator.com
HTTP_CONNECTION	Keep-Alive
HTTP_ACCEPT_ENCODING	gzip
HTTP_CF_IPCOUNTRY	AU
HTTP_X_FORWARDED_FOR	144.138.50.213
HTTP_CF_RAY	2e93146e448233af-HKG
HTTP_X_FORWARDED_PROTO	http
HTTP_CF_VISITOR	{"scheme":"http"}
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/53.0.2785.116 Safari/537.36
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.8
HTTP_COOKIE	__cfduid=de8a56220973cbd19074461998ca2bae51473727602; PHPSESSID=37f8o2svbc2g61ii9gg81gu035; __qca=PO-1547315388-1473727606508; fb_y_Q30.eyJhbGdvcmI0aG0iOiJITUFuFDLVNIQT11NiIsImNvZGUiOiJBUUQ3WXJKSUEwanYxZnF4dm8xamZ3RFJqSHpjb250OG5SblpCUXZuLWktWWFLZzI
HTTP_CF_CONNECTING_IP	144.138.50.213
PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache/2.2.8 (CentOS) Server at www.streetartlocator.com Port 80</address>
SERVER_SOFTWARE	Apache/2.2.8 (CentOS)
SERVER_NAME	www.streetartlocator.com
SERVER_ADDR	78.46.64.210
SERVER_PORT	80
REMOTE_ADDR	173.245.62.108
DOCUMENT_ROOT	/var/www/streetartlocator.com/web
SERVER_ADMIN	webmaster@streetartlocator.com
SCRIPT_FILENAME	/var/www/streetartlocator.com/web/phpinfo.php
REMOTE_PORT	14886
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request	GET /phpinfo.php HTTP/1.1
Host	www.streetartlocator.com
Connection	Keep-Alive
Accept-	gzip

Encoding	
CF-IPCountry	AU
X-Forwarded-For	144.138.50.213
CF-RAY	2e93146e448233af-HKG
X-Forwarded-Proto	http
CF-Visitor	{"scheme":"http"}
Upgrade-Insecure-Requests	1
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/53.0.2785.116 Safari/537.36
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Accept-Language	en-US,en;q=0.8
Cookie	__cfduid=de8a56220973cbd19074461998ca2bae51473727602; PHPSESSID=37f8o2svbc2g61i9gg81gu035; __qca=P0-1547315388-1473727606508; fbm_181288081888479=base_do_y_Q30.eyJhbGdvcmI0aG0iOiJITUFDLVNIQT11NilsmNvZGU0iJBUUQ3WwJKSUeWanYxZnF4dm8xamZ3RFJqSHptb25OOG5SblpCUXZuLWktWWFLZzI4eW02ckhxYnpVSjFua2RRbzB
CF-Connecting-IP	144.138.50.213
X-Powered-By	PHP/5.2.10
Vary	Accept-Encoding
Content-Encoding	gzip

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
------------------	---------

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.15.5 OpenSSL/0.9.8b zlib/1.2.3 libidn/0.6.5

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	no value	no value

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.28 2009/05/28 14:03:09 pajoye Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.47 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.1.4

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3.2.18 2009/06/15 15:18:48 patrickallaert Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20343
SASL Support	Enabled

libxml

libXML support	active
libXML Version	2.6.26

libXML streams	enabled
----------------	---------

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.67
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.67
Client API header version	5.0.82sp1
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>

mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

newrelic

New Relic RPM Monitoring	enabled
New Relic Version	3.3.5.161 ("dervish")

Global Directives	
Directive Name	Global Value
newrelic.daemon.logfile	/var/log/newrelic/newrelic-daemon.log
newrelic.logfile	/var/log/newrelic/php_agent.log
newrelic.loglevel	<i>no value</i>

Per-Directory Directives		
Directive Name	Local/Active Value	Master/Default Value
newrelic.appname	PHP Application	PHP Application
newrelic.browser_monitoring.auto_instrument	enabled	enabled
newrelic.capture_params	off	off
newrelic.config.enabled	enabled	enabled
newrelic.cross_process.enabled	enabled	enabled
newrelic.enabled	yes	yes
newrelic.error_collector.enabled	enabled	enabled
newrelic.error_collector.prioritize_api_errors	no	no
newrelic.error_collector.record_database_errors	yes	yes
newrelic.framework	auto-detect	auto-detect
newrelic.framework.drupal.modules	on	on
newrelic.ignored_params	<i>no value</i>	<i>no value</i>
newrelic.license	bddbf...e2e29	bddbf...e2e29
newrelic.transaction_tracer.custom	<i>no value</i>	<i>no value</i>
newrelic.transaction_tracer.detail	1	1
newrelic.transaction_tracer.enabled	enabled	enabled
newrelic.transaction_tracer.explain_enabled	enabled	enabled
newrelic.transaction_tracer.explain_threshold	500	500
newrelic.transaction_tracer.record_sql	obfuscated	obfuscated
newrelic.transaction_tracer.slow_sql	enabled	enabled
newrelic.transaction_tracer.stack_trace_threshold	500	500
newrelic.transaction_tracer.threshold	apdex_f	apdex_f
newrelic.webtransaction.name.files	<i>no value</i>	<i>no value</i>
newrelic.webtransaction.name.functions	<i>no value</i>	<i>no value</i>
newrelic.webtransaction.name.remove_trailing_path	no	no

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.6 06-Feb-2006

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL, client library version	5.0.67
---	---------------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.4 2008/12/31 11:17:42 sebastian Exp \$
SQLite Library	3.3.6

posix

Revision	\$Revision: 1.70.2.3.2.22 \$
----------	------------------------------

pspell

PSpell Support	enabled
----------------	---------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.57 2009/05/21 16:05:11 Ibarnaud Exp \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/www/clients/client0/web2/tmp	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.46 \$
Schema support	enabled

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator,

RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i -fwebmaster@streetartlocator.com

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.8 \$

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.50 2009/03/01 17:35:25 iliaa Exp \$
Zip version	1.8.11
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
dbase
sysvsem
sysvshm

Environment

Variable	Value
TERM	xterm-256color
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/
LANG	C
SHLVL	2
_	/usr/sbin/httpd

PHP Variables

Variable	
_REQUEST["__cfduid"]	de8a56220973cbd19074461998ca2bae51473727602
_REQUEST["PHPSESSID"]	37f802svbc2g61ii9gg81gu035
_REQUEST["__qca"]	P0-1547315388-1473727606508
_REQUEST["fbm_181288081888479"]	base_domain=.streetartlocator.com
_REQUEST["__unam"]	3c1ad6b-1572102b14c-77426643-2
_REQUEST["__utma"]	3486194.222447252.1473727608.1473727608.1475019414.2
_REQUEST["__utmc"]	3486194
_REQUEST["__utmz"]	3486194.1473727608.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none)
_REQUEST["fbsr_181288081888479"]	ceJWUYO44xc-QrhxDgkudEh7PAEk6LhV6tEN-y_Q30.eyJhbGdvcmI0aG0iOiJITUFDLVNIQT11NiIsImNvZGU0iOiJBWUQ3W3JKSUEwanYxZnF4dm8xamZ3RFJqSHptb250OG5SblpCUXZul
_COOKIE["__cfduid"]	de8a56220973cbd19074461998ca2bae51473727602
_COOKIE["PHPSESSID"]	37f802svbc2g61ii9gg81gu035
_COOKIE["__qca"]	P0-1547315388-1473727606508
_COOKIE["fbm_181288081888479"]	base_domain=.streetartlocator.com
_COOKIE["__unam"]	3c1ad6b-1572102b14c-77426643-2
_COOKIE["__utma"]	3486194.222447252.1473727608.1473727608.1475019414.2
_COOKIE["__utmc"]	3486194
_COOKIE["__utmz"]	3486194.1473727608.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none)
_COOKIE["fbsr_181288081888479"]	ceJWUYO44xc-QrhxDgkudEh7PAEk6LhV6tEN-y_Q30.eyJhbGdvcmI0aG0iOiJITUFDLVNIQT11NiIsImNvZGU0iOiJBWUQ3W3JKSUEwanYxZnF4dm8xamZ3RFJqSHptb250OG5SblpCUXZul
_SERVER["SCRIPT_URL"]	/phpinfo.php
_SERVER["SCRIPT_URI"]	http://www.streetartlocator.com/phpinfo.php
_SERVER["HTTP_HOST"]	www.streetartlocator.com
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip
_SERVER["HTTP_CF_IPCOUNTRY"]	AU
_SERVER["HTTP_X_FORWARDED_FOR"]	144.138.50.213
_SERVER["HTTP_CF_RAY"]	2e93146e448233af-HKG
_SERVER["HTTP_X_FORWARDED_PROTO"]	http
_SERVER["HTTP_CF_VISITOR"]	{"scheme": "http"}
_SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/53.0.2785.116 Safari/537.36
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
_SERVER["HTTP_COOKIE"]	__cfduid=de8a56220973cbd19074461998ca2bae51473727602; PHPSESSID=37f802svbc2g61ii9gg81gu035; __qca=P0-1547315388-1473727606508; fbm_181288081888479=base_domain=.streetartlocator.com; __unam=3c1ad6b-1572102b14c-77426643-2; __utma=3486194.222447252.1473727608.1473727608.1475019414.2; __utmc=3486194; __utmz=3486194.1473727608.1.1.utmcsr=(direct)utmccn=(direct)utmcmd=(none)
_SERVER["HTTP_CF_CONNECTING_IP"]	144.138.50.213
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.8 (CentOS) Server at www.streetartlocator.com Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.8 (CentOS)
_SERVER["SERVER_NAME"]	www.streetartlocator.com
_SERVER["SERVER_ADDR"]	78.46.64.210
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	173.245.62.108
_SERVER["DOCUMENT_ROOT"]	/var/www/streetartlocator.com/web
_SERVER["SERVER_ADMIN"]	webmaster@streetartlocator.com
_SERVER["SCRIPT_FILENAME"]	/var/www/streetartlocator.com/web/phpinfo.php
_SERVER["REMOTE_PORT"]	14886
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1475025952
_ENV["TERM"]	xterm-256color
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_ENV["PWD"]	/
_ENV["LANG"]	C
_ENV["SHLVL"]	2
ENV[""]	/usr/sbin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.